

СПРАВКА за цитираните научни трудове

с автор или съавтор гл.ас. д-р Георги Георгиев Беев,
представени за участие в конкурс за „Доцент“ по научна специалност Микробиология,
професионално направление 4.3. Биологически науки
обявен от Тракийски Университет – Стара Загора в Държавен вестник – бр. 100/05.12.2014 г.

Научен труд:	Цитиран от:
Denev S.A. and Beev G.G. (2002). <i>Fusarium</i> Fungi and Mycotoxins in Foods and Feeds – A Review. Proceedings of Tenth Congress of the Bulgarian Microbiologists with International Participation. The Stefan Angelov Institute of Microbiology, Bulgarian Academy of Sciences, October 9-12, Plovdiv, Bulgaria, pp. 111-112.	1. Daskalov P., V. Mancheva Ts. Draganova R. Tsonev (2010). An approach for <i>Fusarium</i> infected corn kernels recognition using linear discrete models. <i>Agricultural Science and Technology</i> 2:90-95.
Vrabcheva T., S. Lazarova and G. Beev , 2004. Occurrence of <i>Fusarium</i> species in Bulgarian cereal grains. <i>Plant Science</i> (Bg), 41: 240-243.	2. Manova R. and R. Mladenova (2009). Incidence of zearalenone and fumonisin in Bulgarian cereal production. <i>Food Control</i> . 20: 362-365. (IF=1,980, 2009*) 3. Gertner, L R.S. (2009). Avaliação do efeito da incorporação de fumonisinas em ração de frangos de corte na histologia de fígado e mucosa intestinal e resposta imunológica humoral a vacina contra doença de Newcastle. Dissertação apresentada ao Curso de Pósgraduação em Ciências Veterinárias. Área de concentração: Patologia Veterinária, do Setor de Ciências Agrárias da Universidade Federal do Paraná, para a obtenção do título de Mestre em Ciências Veterinárias. Curitiba 2009. 4. Jajić, I., S. Krstović, B. Perišić, S. Jakšić, V. Bursić, R. Jevtić and B. Abramović (2013). Presence Of Zearalenone In The Most Commonly Grown Wheat Cultivars In Serbia. <i>Jour. Nat. Sci, Matica Srpska</i> 124: 101-109.
Beev, G. (2004). Fungal species from the genus <i>Fusarium</i> in Bulgarian cereals. <i>Journal of Animal Science</i> , (Bg), 5: 90-93.	5. Митев, Ю. Е. (2012). Съвременни аспекти на благополучието в говедовъдните ферми за мляко (Монография). Академично издателство, Тракийски университет, Стара Загора, стр. 248. 6. Daskalov P., V. Mancheva Ts. Draganova R. Tsonev (2010). An approach for <i>Fusarium</i> infected corn kernels recognition using linear discrete models. <i>Agricultural Science and Technology</i> 2:90-95.
Denev, S. A., Peeva, Tz., Radulova, P., Stancheva, N., Staykova, G., Beev, G., Todorova, P., Tchobanova, S. (2007). Yeast Cultures in Ruminant Nutrition. <i>Bulgarian Journal of Agricultural Science</i> 13:357-374.	7. Kimse M. (2009). Caracterisation de lécosysteme caecal et sante digestive du lapin: Controle nutritionnel et interactions avec la levure probiotique <i>Saccharomyces cerevisiae</i> . (PhD. Thèse), L'Universite de Toulouse, France. 8. Gomes C.T. (2009). Aditivos (monensina sodica, levedura e probioticos) para bovinos da raca Nelore terminados com racoes com concentrado rico em co-produtos. PhD. Thesis , Universidade de Sao Paulu, Brazil, pp. 41,93. 9. Polyorach S., Wanapat M., Sornsongnern N., and Wanapat S. (2009). Effect of yeast fermented cassava

chip protein (YEFECAP) as a protein replacement of soybean meal in concentrate on rumen fermentation and milk production in lactating dairy cows. การประชุมวิชาการเกษตร ครั้งที่ 11 ประจำปี 2553 คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น, 122-125.

10. **Cermakova J., Dolezal P. and Kudrna V.** (2009). Yeasts in Dairy Nutrition. *Animal Science* 4:23-30.
11. **Bhima, B., Marrivada, S.R. Devi, T.A. Reddy, Y.R., and Venkateswar L.** (2010). Screening and characterization of stress tolerant *Saccharomyces cerevisiae* isolated from brewery effluents for animal probiotic applications. *The IIOAB Journal* 1(4):32-39 (India).
12. **Mahyuddin P. and M. Winugroho** (2010). Effect of Combination of Yeast (*Saccharomyces cerevisiae* + *Candida utilis*) and Herbs Supplementation in Finishing Diet on Carcass Characteristics of Beef Cattle. *Journal of Indonesian Trop. Anim. Agric.* 35(4): 251-256.
13. **Allbrahim R.M., M.A. Crowe, P. Duffy, L.O. O'Grady, M.E. Beltman, F.J. Mulligan** (2010). The effect of body condition at calving and supplementation with *Saccharomyces cerevisiae* on energy status and some reproductive parameters in early lactation dairy cows. *Animal Reproduction Science* 121:63-71. **(IF = 1.721, 2010*)**
14. **Mahyuddin P. and Y. Widiawati** (2010). Effect of Combined Probiotics (*Saccharomyces cerevisiae* + *Candida utilis*) and Herbs on Carcass Characteristics of Swamp Buffalo. *Animal Production* 12(2): 69-73.
15. **Hossain S.A. and N. Haque** (2011). Potentiality of Yeast Culture as a Feed Additive in Dairy Ration. http://poulvvet.com/dairy/articles/potentiality_of_yeastculture.php
16. **Majdoub-Mathlouthi L., A Chammaoui and K Kraiem** (2011). Effet de la levure *Saccharomyces cerevisiae* sur les performances des taurillons à l'engraissement alimentés à base de fourrages pauvres. (Effect of the yeast *Saccharomyces cerevisiae* on the performance of bull calves fattened on low quality forages.) *Livestock Research for Rural Development* 23 (11):1-5.
17. **Saeed A.A.** (2011). EFFECT OF LEVEL AND DEGRADABILITY OF DIETARY PROTEIN FED WITH OR WITHOUT BAKER'S YEAST (*Saccharomyces cerevisiae*) ON TURKISH AWASSI LAMBS PERFORMANCE. *PhD. Thesis*. Ministry of Higher Education and Scientific Research, Baghdad University, College of Agriculture, Republic of Iraq, pp 221.
18. **Lopusznska-Rusek M., K. Billik** (2011). Fibrolytic enzymes and live yeast culture in ration for dairy cows – effects on rumen degradability and fermentation. *Annals of Animal Science*, 11(3):393-403.
19. **Doležal P., J. Dvořáček, J. Doležal, J. Čermáková, L. Zeman, K. Szwedziak** (2011). Effect of feeding yeast culture on ruminal fermentation and blood indicators of Holstein dairy cows. *Acta Veterinaria Brno* 80:139–145. **(IF = 0.431, 2011*)**
20. **Wanapat M., S. Polyorach, V. Chanthakhoun, N. Sornsongnern** (2011). Yeast-fermented cassava chip protein (YEFECAP) concentrate for lactating dairy cows

fed on urea–lime treated rice straw. *Livestock Science* **139**: 258–263. (IF = 1.506, 2011*)

21. **Barasch I.B.** (2012). The Effects of Yeast-Derived Feed Additives and Their Potential as Antibiotic Alternative Feed Additives on the Growth Performance of Turkey Toms Raised to Market Age. *MSc. Thesis*, North Carolina State University, Raleigh, pp 10.
22. **PERNA M.F.S.** (2012). EFECTO DE LA RESTRICCIÓN EN EL TIEMPO DE ACCESO AL ALIMENTO Y LA ADICIÓN DE MODULADORES DE LA FERMENTACIÓN RUMINAL SOBRE EL CONSUMO, LA DIGESTIBILIDAD Y EL BALANCE NITROGENADO EN OVINOS ALIMENTADOS CON UNA PASTURA TEMPLADA DE BUENA CALIDAD. *PHD. THESIS*, UNIVERSIDAD DE LA REPÚBLICA, FACULTAD DE VETERINARIA. MONTEVIDEO, URUGUAY.
23. **Sahoo B., D.P. Tiwari, P. Kumar, B.I. Mondal, D.V. Singh, Y.P. Joshi** (2012). Effect of probiotic supplementation on growth performance and blood biochemicals in crossbred calves. *Indian Journal of Animal Sciences*, 82(3):328-330. (IF = 0.130, 2012*)
24. **Михайлова М.** (2013). Изследвания върху пробиотичните качества на млечнокисели бактерии изолирани от различни източници. *Дисертация за присъждане на образователна и научна степен „Доктор“*, Тракийски университет, Ст. Загора, стр. 250.
25. **Faria-Oliveira F., S. Puga and C. Ferreira** (2013). Yeast: World's Finest *Chef*. In: Food Industry (Edited by Innocenzo Muzzalupo), ISBN 978-953-51-0911-2, 748 pages, Publisher: InTech, Published, pp. 519-547.
26. **Saeed A.A.** (2013). Effect of level of supplementation with *Saccharomyces cerevisiae* on performance of Awassi lambs. Ministry of Higher Education and Scientific Research, Baghdad University, College of Agriculture, Republic of Iraq, pp 1-11.
27. **Hassan S.A., and A. A. Saeed** (2013). Effect of Feeding Different Levels of Dietary Protein and Addition of Baker's Yeast (*Saccharomyces cerevisiae*) on Productive Parameters of Awassi Lambs. *Journal of Agricultural Science and Technology A 3* (2013) 484-497.
28. **López-Soto M.A., Y. S. Valdés-García, A. Plascencia, A. Barreras, B. I. Castro-Perez, A. Estrada-Angulo, F. G. Ríos, A. Gómez-Vazquez, L. Corona & R. A. Zinn** (2013). Influence of feeding live yeast on microbial protein synthesis and nutrient digestibility in steers fed a steam-flaked corn-based diet. *Acta Agriculturae Scandinavica*, Section A – Animal Science, 63(1): 39-46. DOI: 10.1080/09064702.2013. 779744. (IF = 0.610, 2012*)
29. **Diler A., R. Kocyigit, M. Yanar, R. Aydin** (2014). Effect of feeding direct-fed microbials plus exogenous feed enzymes on milk yield and milk composition of Holstein Freisian cows. *Veterinarija Ir Zootechnika (Vet Med Zoot)*, 65 (87):11-16.

<p>Beev G., Denev S.A., Lalev T. and Pavlov D., 2007. Comparison of Different Commercial Wheat Cultivars and New Selection Lines Durum and Soft Wheat to <i>Fusarium</i> Infection in the Region of Stara. <i>Ecology and Future</i>, 3, 29-34.</p>	<p>30. Daskalov P., V. Mancheva, Ts. Draganova, R. Tsonev (2010). An approach for <i>Fusarium</i> infected corn kernels recognition using linear discrete models. <i>Agricultural Science and Technology</i> 2: 90-95.</p> <p>31. Митев, Ю.Е. (2012). Съвременни аспекти на благополучието в говедовъдните ферми за мляко (Монография). Академично издателство, Тракийски университет, Стара Загора, стр. 248.</p>
<p>Denev S.A., Staykov Y., Moutafchieva R. and Beev G., 2009. Microbial ecology of the gastrointestinal tract of fish and the potential application of probiotics and prebiotics in finfish aquaculture. <i>International Aquatic Research</i> 1 (1):1-29.</p>	<p>32. Boycheva S. (2010). Probiotic characteristics of lactic acid bacteria isolated from feces of breast-fed infant. <i>Agricultural Science and Technology</i> 2(1):48-51.</p> <p>33. Ghomi, M.R., Z. Heshmatipour, R. M. Nazari, M. Sohrabnejad, M. Zarei, M. Nikoo, M. Ovissipour and A. Esmaeili (2010). Intestinal Microflora Of Kutum <i>Rutilus Frisii Kutum</i> Under Dietary Supplementation With Probiotic And Vitamin C. <i>Bulgarian Journal of Agricultural Science</i> 16 (5):635-642. (IF = 0.153, 2010*)</p> <p>34. He S., Z. Zhou, Y. Liu, Y. Cao, K. Meng, P. Shi, B. Yao E. Ringø (2010). Effects of the antibiotic growth promoters flavomycin and frolfenicol on the autochthonous intestinal microbiota of hybrid tilapia (<i>Oreochromis niloticus</i> ♀ and <i>O. aureus</i> ♂). <i>Archives Microbiology</i> 192:985-994. (IF = 1.754, 2010*)</p> <p>35. Chantharasophon K., T. Warong, P. Mapatsa, V. Leelavatcharamas (2011). High Potential Probiotic <i>Bacillus</i> Species from Gastro-intestinal Tract of Nile Tilapia (<i>Oreochromis niloticus</i>). <i>Biotechnology</i> 10(6):498-505.</p> <p>36. Foysal M.J., M.M. Rahman, and M.Alam (2011). Antibiotic sensitivity and <i>in vitro</i> antimicrobial activity of plant extracts to <i>pseudomonas fluorescens</i> isolates collected from diseased fish. <i>International Journal of Natural Sciences</i> 1(4):82-88.</p> <p>37. Dimitroglou A., D.L. Merrifield, O. Carnevali, S. Picchietti, M. Avella, C. Daniels, D. Güroy, S.J. Davies (2011). Microbial manipulations to improve fish health and production – A Mediterranean perspective. <i>Fish and Shellfish Immunology</i> 30: 1-16. (IF = 3.322, 2011*)</p> <p>38. Merrifield D.L., G.M. Harper S. Mustafa O. Carnevali S. Picchietti S.J. Davies (2011). Effect of dietary alginic acid on juvenile tilapia (<i>Oreochromis niloticus</i>) intestinal microbial balance, intestinal histology, and growth performance. <i>Cell and Tissue Research</i> 344:135-146. (IF = 3.114, 2011*)</p> <p>39. Hoseinfar S. H., A. Mirvaghefi, B.M. Amiri, H.K Rostami., D.L. Merrifield (2011). The effects of oligofructose on growth performance, survival and autochthonous intestinal microbiota of beluga (<i>Huso huso</i>) juveniles. <i>Aquaculture Nutrition</i> 17(5):498-504. (IF = 2.179, 2011*)</p> <p>40. Ye, J. D., K. Wang, F. D. Li, Y. Z. Sun (2011). Single or combined effects of fructo- and mannan oligosaccharide supplements and <i>Bacillus clausii</i> on the growth, feed utilization, body composition, digestive enzyme activity, innate immune response and lipid metabolism of the Japanese flounder <i>Paralichthys olivaceus</i>. <i>Aquaculture Nutrition</i> 17(4):902-911. (IF = 2.179, 2011*)</p>

41. **Lawal M. O., A. Z. Aderolu, D. O. Ezenwanne** (2012). The growth rate and histology of Catfish (*Clarias gariepinus*) Juveniles fed Antibiotics (Oxytetracycline and Furasol) treated Feed. *Report and Opinion* 4(6):37-42.
42. **BĂCANU M.G., L. OPREA, G.C. SANDU, R. DINICĂ, M. MĂEREANU, D. MĂEREANU, C. ȘERBAN** (2012). Aspects regarding the profile of intestinal microbiota on wild populations of sterlet (*Acipenser ruthenus*, linnaeus, 1758). *The Annals of the University Dunarea de Jos of Galati, Fascicle VI – Food Technology* 36(2):58-63 (Ro).
43. **Zhou X., Y. Wang** (2012). Probiotics in Aquaculture – Benefits to the Health, Technological Applications and Safety (Chapter 8). In: *Health and Environment in Aquaculture* (Edited by Edmir Daniel Carvalho, Gianmarco Silva David and Reinaldo José da Silva), Published by InTech Janeza Trdine 9, 51000 Rijeka, Croatia, pp 215-226.
44. **Goda A.N.A., H.A.H.H. Mabrouk, M. Abd El-Hamid Wafa, T. M. El-Afifi** (2012). Effect of Using Baker's Yeast and Exogenous Digestive Enzymes as Growth Promoters on Growth, Feed Utilization and Hematological Indices of Nile tilapia, *Oreochromis niloticus* Fingerlings. *Journal of Agricultural Science and Technology B* 2: 15-28.
45. **Abdulrahman N.M., Z.K. Khidhir, H.O. Murad** (2012). Microbial load in the common carp rearing water fed different levels of dry yeast. *Bull. Fac. Agric., Cairo University*, 63:1-6.
46. **Geethanjali S.** (2012). Isolation, purification, characterization and immobilization of protease from *Labeo rohita* viscera (**PhD. Thesis**), vinashilingam Alnstitute of Home Science & Higher Education for Women, Coimbatore, pp 53; 124.
47. **Sahnouni F., A. Matallah-Boutiba, D. Chemlal and Z. Boutiba** (2012). Technological characterization of lactic acid bacteria isolated from intestinal microbiota of marine fish in the Oran Algeria coast. *African Journal of Microbiology Research* 6(13): 3125-3133. **(IF = 0.553, 2011*)**
48. **Gültepe N., O. Hisar, S. Salnur, B. Hoşsu, T.T. Tanrikul, S. Aydın** (2012). Preliminary Assessment of Dietary Mannanligosaccharides on Growth Performance and Health Status of Gilthead Seabream *Sparus auratus*. *Journal of Aquatic Animal Health*, 24(1):37-42. **(IF = 0.924, 2010*)**
49. **Motlagh H.R.A., M. Farhangi, G. Rafiee, F. Noori** (2012). Modulating gut microbiota and digestive enzyme activities of *Artemia urmiana* by administration of different levels of *Bacillus subtilis* and *Bacillus licheniformis*. *Aquaculture International* 20:693-705. DOI 10.1007/s10499-012-9497-5. **(IF = 0.912, 2011*)**
50. **Михайлова М.** (2013). Изследвания върху пробиотичните качества на млечнокисели бактерии изолирани от различни източници. *Дисертация за присъждане на образователна и научна степен „Доктор“*, Тракийски университет, Ст. Загора. стр 250.
51. **Kafilzadeh R., S.M. Mousavi, M.J. Baboli** (2013)

- Effects of *Saccharomyces cerevisiae* (Saccharomycetes :Saccharomycetaceae) on *Astronotus ocellatus* as growth promoter and immuno stimulant. *AACL Bioflux*,6(6):587-598.
52. **Mehrim A.I., M.A. Abdelhamid, S.M. Ibrahim and A.I. Abd El-Wahab** (2013). Assessment of a New Local Prebiotic Impacts on the Reproductive Efficiency of African Catfish (*Clarias gariepinus* Burchell, 1822) Brood Stock. *Journal Of The Arabian Aquaculture Society*,8 (1): 105-120.
 53. **Mahdieh J., M.J. Baboli and M. Alishahi** (2013). Effects of different levels of Immunoster as prebiotic on some haematological and immunological parameters in common carp (*Cyprinus carpio*). *Res. Opin. Anim. Vet. Sci.*, 3(10), 366-369.
 54. **Rapatsa M.M., N.A.G. Moyo** (2013). Haematological, Histological and Growth Characteristics of *Oreochromis mossambicus* Exposed to Effective Microorganisms in Organically Manured Aquadams. *Asian Journal of Animas and Veterinary Advances*, 8(7): 852-862.
 55. **Karacalar U., E. Can, M. Kayim, I.Z. Kurtoglu, A., Othan, A.L. Lawrence** (2013). Biological Control Agents in Aquaculture: Probiotics, Prebiotics, Phytobiotics and Other Functional Dietary Supplements and Their Availability for Commercial Use in Turkey. *Aquaculture (Abstract Book)*, February 21-25, 2013, Nashville, Tennessee USA.
 56. **Addo S.** (2013). Effects of pre- and probiotics on pond production, growth and disease susceptibility of channel catfish *Ictalurus punctatus* and Nile tilapia *Oreochromis niloticus*. (*PhD. Thesis*) Auburn University, Auburn, Alabama, USA.
 57. **Iman M. Kabumourad, Wafaa T. Abbas, Elham S. Awaad, Mohammad M.N. Authman, Kawther El-Shafei, Osama M. Sharaf, Gamal A. Ibrahim, Zeinab I. Sadek, Hoda S.El- Sayed** (2013). Evaluation of *Lactobacillus plantarum* as a probiotic in aquaculture: Emphasis on growth performance and innate immunity. *Journal of Applied Sciences Research*, 9(1): 572-582. **(IF = 0.170, 2012*)**
 58. **He S., Z. Wu, Y. Liu, N. Wu, Y. Tao, L. Xu, Z. Zhou, B. Yao, E. Ringø** (2013). Effects of dietary 60 g kg⁻¹ dried distiller's grains in least-cost practical diets on production and gut allochthonous bacterial composition of cage-cultured fish: comparison among fish species with different natural food habits. *Aquaculture Nutrition*. 9 (5):765-772. **(IF = 1.665, 2013*)**
 59. **He, S., Zhang, Y., Xu, L., Yang, Y., Marubashi, T., Zhou, Z., Yao, B.** (2013). Effects of dietary *Bacillus subtilis* C-3102 on the production, intestinal cytokine expression and autochthonous bacteria of hybrid tilapia *Oreochromis niloticus*♂×*Oreochromis aureus*♀. *Aquaculture*, 412-413 (1):125-130. **(IF = 1,828, 2013*)**
 60. **Hoseinifar, S.H., Khalili, M., Khoshbavar Rostami, H., Esteban, M.T.** (2013). Dietary galactooligosaccharide affects intestinal microbiota, stress resistance, and performance of Caspian roach (*Rutilus rutilus*) fry. *Fish and Shellfish Immunology* 35(5):1416-1420. **(IF = 3.034, 2013*)**

	<p>61. Zhou Yi, Xiaochen Yuan, Xu-Fang Liang, Liu Fang, Jie Li, Xiaoze Guo, Xiaoli Bai, Shan He (2013). Enhancement of growth and intestinal flora in grass carp: The effect of exogenous cellulose. <i>Aquaculture</i>, 416–417: 1–7. (IF = 1,828, 2013*)</p> <p>62. Nermeen M. Abu Elala and Naela M. Ragaa (2014). Eubiotic effect of a dietary acidifier (potassium diformate) on the health status of cultured <i>Oreochromis niloticus</i>. <i>Journal of Advanced Research (In Press)</i>.</p> <p>63. Ali Md. H., S. Chowdhury, Md. Ashrafuzzaman, M.A.N Chowdhury, Md.R Hague, K.M.A. Zinnah, Ad.M. Rahman (2014). Identification, pathogenicity, antibiotic and herbal sensitivity of <i>Edwardsiella tarta</i> causing fish disease in Bangladesh. <i>Current Research in Microbiology & Biotechnology</i> 2(1): 292-297.</p> <p>64. Abumourad, I. M. K., Kenwy, A. M., Ibrahim, T. B., Hanna, M. I., Soliman, W. S. (2014). <i>Enterococcus faecium</i> probiotic as a growth promoter and its impact on the expression of the host innate immune in cultured <i>Oreochromis niloticus</i>. <i>Research Journal of Pharmaceutical, Biological and Chemical Sciences</i>, 5(2): 1747-1761.</p> <p>65. Donde O.O., W.O. Ojwang, A.W. Muia and L.A. Wanga (2014). Bacterial abundance on the skin, gills and intestines of <i>Cyprinus carpio</i> in Lake Naivasha, Kenya: Implications for public health and fish quality. <i>Lakes and Reservoirs: Research and Management</i>, 19: 46–55.</p> <p>66. Bisht A., U.P. Singh and N.N. Pandey (2014). Comparative study of seasonal variation in bacterial flora concomitant with farm raised fingerlings of <i>Cyprinus carpio</i> at tarai region of Uttarakhand. <i>Journal of Environmental Biology</i>, 35: 363-367.</p> <p>67. Ibrahem M.D (2014). Evolution of probiotics in aquatic world: Potential effects, the current status in Egypt and recent prospectives. <i>Journal of Advanced Research (In Press)</i>.</p> <p>68. Wu Z., Yu Y., Chen X., Liu H., Yuan J., Shi Y., Chen X. (2014). Effect of Prebiotic konjac mannanoligosaccharide on growth performance, intestinal microflora, and digestive enzyme activities in yellow catfish, <i>Pelteobagrus fulvidraco</i>. <i>Fish Physiology & Biochemistry</i> 40:763-771. (IF = 1.676, 2013*)</p> <p>69. Bidhan C.D., D.K. Meena, B.K. Behera, P. Das, P.K. Das Mohaparta, A.P. Sharma (2014). Probiotics in fish and shellfish culture: immunomodulatory and ecophysiological responses. <i>Fish Physiology & Biochemistry</i> 40 (3): 921-971. (IF = 1.676, 2013*)</p>
<p>Beev, G. (2009). Mycotoxological evaluation of pollution in cereals by microscopic fungi of the genus <i>Fusarium</i> and their mycotoxins. PhD Thesis. Trakia University, Stara Zagora.</p>	<p>70. Митев, Ю. Е. (2012). Съвременни аспекти на благополучието в говедовъдните ферми за мляко (Монография). Академично издателство, Тракийски университет, Стара Загора, стр. 248.</p> <p>71. Daskalov P., V. Mancheva, Ts. Draganova, R. Tsonev (2010). An approach for <i>Fusarium</i> infected corn kernels recognition using linear discrete models. <i>Agricultural Science and Technology</i> 2: 90-95.</p>

<p>Beev G., S. Denev, D. Pavlov (2011). Occurrence and distribution of <i>Fusarium</i> species in wheat grain. <i>Agricultural Science & Technology</i>, 3 (2):165-168.</p>	<p>72. Draganova Ts. (2012). Modeling of spectral data characteristics of healthy and <i>Fusarium</i> diseased corn kernels. <i>Agricultural Science and Technology</i> 4(2):177-183.</p> <p>73. Lešnik, M., S. Vajs, B. Kramberger, M. Žerjav, A. Zemljič, A. Simončič, and A. Kolmanič (2014). <i>Fusarium</i> infected grain removal efficacy in cleaning wheat grain prior to milling. <i>Zemdirbyste-Agriculture</i> 101 (3): 285–294. (IF = 0.523, 2013*)</p>
<p>Bivolarski B., G. Beev , S. Denev, E. Vachkova , G. Kostadinova , T. Slavov (2011). Development of the caecal microbiota in rabbits weaned at different age. <i>Agricultural Science & Technology</i>, 3 (3):212-219.</p>	<p>74. Михайлова М. (2013). Изследвания върху пробиотичните качества на млечнокисели бактерии изолирани от различни източници. <i>Дисертация за присъждане на образователната и научната степен „Доктор“</i>, Тракийски университет, Ст. Загора, стр. 250.</p>
<p>Georgiev, M., D. Pavlov, G. Beev, M. Gergzikova and R. Bazitov. 2011. Species composition of weeds in wheat and barley. <i>Agricultural Science and Technology</i>, 3 (2): 143-149.</p>	<p>75. Draganova Ts. (2012). Modeling of spectral data characteristics of healthy and <i>Fusarium</i> diseased corn kernels. <i>Agricultural Science and Technology</i> 4(2):177-183.</p>
<p>Dinev I., S. Denev, G. Beev (2013) Clinical and Morphological Studies on Spontaneous Cases of <i>Pseudomonas aeruginosa</i> Infections in Birds. <i>Pakistan Veterinary Journal</i>, 33 (3): 398-400. (IF = 1.392, 2013*)</p>	<p>76. Shabbir M.Z., Park J.H., Muhammad K., Rabbani M., Rana M.Y., Harvill E.T. (2014). Culture Independent Analysis of Respiratory Microbiome of Houbara Bustard (<i>Chlamydotis undulate</i>) Revealed Organisms of Public Health Significance. <i>International Journal of Agriculture & Biology</i> 16(1):222-226. (IF = 0.90, 2013*)</p>
<p>Общ брой цитирани статии: 11</p>	<p>Общ брой цитирания: 76</p>


Цитирания в списания с импакт фактор: 24

Общ импакт фактор на списанията, в които са цитирани статиите: 34,768

Цитирания в международни списания без импакт фактор: 36

Цитирания в книги, монографии и дисертации: 16

30.01.2015 г.

Изготвил справката: 
/гл.ас. д-р Г. Беев/