

СПИСЪК НА НЕЗАВИСИМИ ЦИТИРАНИЯ НА НАУЧНИ ТРУДОВЕ

с автор или съавтор ГЛ. АС. Д-Р ЗВЕЗДЕЛИНА ЛЮБЕНОВА ЯНЕВА,

катедра “Фармакология, физиология на животните и физиологична химия”, секция
“Химия”, Ветеринарномедицински Факултет, Тракийски Университет, Стара
Загора,

представени в конкурса за академична длъжност „доцент“
по **Химия (химия и екология)**, обявен в Държавен вестник брой № 100/05.12.2014 г.

В конкурса за академична длъжност „доцент“, обявен от ТрУ за нуждите на ВМФ, по Химия (химия и екология), съм представила **69** на брой статии (**51** бр. отпечатани в списания с импакт фактор) и докторски дисертации, в които са цитирани **13** научни публикации (5 от които с импакт фактор), на които съм автор или съавтор.

Общ импакт фактор от цитиранията - **110,13**.

По данни на Scopus моят индекс на цитатите по Хирш е **h-index = 4**.

I. Статия: Koumanova, B. & Z. Kircheva, 2003. Bentonite assisted bioprocess for 2-nitrophenol removal from wastewaters. J. Univ. Chem. Technol. Met. (Sofia), 38, No. 1, 71-78.

цитирана в:

- 1) Ahmaruzzaman, M. & S. Laxmi Gayatri, 2011. Activated neem leaf: a novel adsorbent for the removal of phenol, 4-nitrophenol, and 4-chlorophenol from aqueous solutions, *J. Chem. Eng. Data*, **56**, No. 7, 3004-3016. **IF - 1.693**

II. Статия: Allen, S.J., B. Koumanova, Z. Kircheva & S. Nenkova, 2005. Adsorption of 2-nitrophenol by technical hydrolysis lignin: Kinetics, mass transfer and equilibrium studies. Ind. Eng. Chem. Res., 44, 2281-2287. IF – 1.504

цитирана в:

- 2) Rincón-Silva, N.G., H.C. Moreno-Piraján & L. Giraldo, 2014. Thermodynamic study of adsorption of phenol, 4-chlorophenol and 4-nitrophenol on activated carbon obtained

- from eucalyptus seed, *Journal of Chemistry*, **2014**, 1-12.
<http://dx.doi.org/10.1155/2015/569403> **IF – 0.622**
- 3) Shoaib, M. & H.M. Al-Swaidan, 2014. Ramp rate influence on synthesis of sliced porous activated carbon from date palm tree by physical activation method, *Asian Journal of Chemistry*, **26**, No. 16, 5295-5297.
 - 4) Li, J-R., X. Wang, B. Yuan, M.L. Fu & H. J. Cui, 2014. Robust removal of heavy metals from water by intercalation chalcogenide $[\text{CH}_3\text{NH}_3]_{2x}\text{Mn}_x\text{Sn}_{3-x}\text{S}_6 \cdot 0.5\text{H}_2\text{O}$, *Applied Surface Science*, **320**, 112-119. <http://dx.doi.org/10.1016/j.apsusc.2014.09.057>.
IF – 2.538
 - 5) Hubbe, M.A., J. Park & S. Park, 2014. Cellulosic Substrates for Removal of Pollutants from Aqueous Systems: A Review. Part 4. Dissolved Petrochemical Compounds, *BioResources*, **9**, No. 4, 1-144. **IF – 1.459**
 - 6) Liang, F., Y. Song, Ch. Huang, J. Zhang & B. Chen, 2013. Preparation and performance evaluation of a lignin-based solid acid from acid hydrolysis lignin, *Catalysis Communications*, **40**, 93-77 doi:[10.1016/j.catcom.2013.06.005](http://dx.doi.org/10.1016/j.catcom.2013.06.005). **IF - 2.986**
 - 7) Nor, N.M., L.L. Chung, L.K. Teong & A.R, Mohamed, 2013. Synthesis of activated carbon from lignocellulosic biomass and its applications in air pollution control—a review, *Journal of Environmental Chemical Engineering*, **1**, No. 4, 658-666.
<http://dx.doi.org/10.1016/j.jece.2013.09.017>
 - 8) Padmapriya, G. & A.G. Murugesan, 2013. Biosorption of Hg(II) ions from aqueous solution using the aquatic weed water hyacinth with equilibrium and kinetic modeling. *Remediation Journal*, **23**, No. 2, 127–139. doi: 10.1002/rem.21353.
 - 9) Tekiner, P., I. Perçin, B. Ergün, B., H. Yavuz & E. Aksöz, 2012. Purification of urease from jack bean (*Canavalia ensiformis*) with copper (II) chelated poly(hydroxyethyl methacrylate-N-methacryloyl-(l)-histidine methyl ester) cryogels. *J. Mol. Recognit.*, **25**, 549–554. doi: 10.1002/jmr.2204. **IF - 3.310**
 - 10) Das, L., P. Kolar, J. A. Osborne & J. J. Classen, 2012. Adsorption of p-cresol on granular activated carbon. *Agric Eng Int: CIGR Journal*, **14**, No. 4, 37-49.
 - 11) Perçin I, G. Baydemir, B. Ergün & A. Denizli, 2013. Macroporous PHEMA-based cryogel discs for bilirubin removal. *Artificial Cells, Blood Substitutes, and Biotechnology*, **41**, No. 3, 172-177. doi:10.3109/10731199.2012.712046
IF - 0.975
 - 12) Padmapriya, G. & A.G. Murugesan, 2012. Phytoremediation of various heavy metals (Cu, Pb and Hg) from aqueous solution using water hyacinth and its toxicity on plants. *International Journal of Environmental Biology*, **2**, No. 3, 97-103. **IF - 0.640**

- 13) Jiao, J., Q. Gai, Y. Fu, Y. Zu, M. Luo, W. Wang, C. Zhao, C. Gu & J. Li, 2012. Application of white-rot fungi treated *Fructus forsythiae* shell residue as a low-cost biosorbent to enrich forsythiaside and phillygenin, *Chemical Engineering Science*, **74**, 244–255. **IF - 2.601**
- 14) Chen, G.F. & M.H. Liu, 2012. Adsorption of L-lysine from aqueous solution by spherical lignin beads: Kinetics and equilibrium studies. *Bioresources*, **7**, No. 1, 298-314. **IF - 1.418**
- 15) Bankar, A., S.S. Zinjarde & B.P. Kapadnis, 2012. Management of heavy metal pollution by using yeast biomass, *Microorganisms in Environmental management, Microbes and Environment*, **Chapter 16**, Springer, 335-363.
- 16) Marinovic, S., A. Milutinovic-Nikolic, M. Zunic, Z. Vukovic, D. Maksin, A. Nastasovic & D. Jovanovic, 2011. Porous glycidyl methacrylate-bentonite composite. *Russian Journal of Physical Chemistry A*, **85**, No. 13, 2386–2391.
- 17) Soto, M.L., A. Moure, H. Domingues & J.C. Parajo, 2011. Recovery, concentration and purification of phenolic compounds by adsorption: A review. *J. Food Eng.*, **105**, No. 1, 1-27. **IF - 2.414**
- 18) Yapici, S., H. Eroglu & E. Varoglu, 2011. Biosorption of Tl-201 radionuclide on olive pomace. *Applied Radiation and Isotopes*, **69**, No. 3, 614-622. **IF - 1.172**
- 19) Erzenin, M., N. Ünlü & M. Odabasi, 2011. A novel adsorbent for protein chromatography: Supermacroporous monolithic cryogel embedded with Cu²⁺-attached sporopollenin particles. *J. Chromatography A*, **1218**, No. 3, 484-490. **IF - 4.531**
- 20) Maheswari, S. & A.G. Murugesan, 2011. Removal of arsenic (III) ions from aqueous solution using aspergillus flavus isolated from arsenic contaminated site, *Indian J. Chem. Technol.*, **18**, No. 1, 45-52. **IF - 0.606**
- 21) Ahmaruzzaman, M. & S. Laxmi Gayatri, 2011. Activated neem leaf: a novel adsorbent for the removal of phenol, 4-nitrophenol, and 4-chlorophenol from aqueous solutions, *J. Chem. Eng. Data*, **56**, No. 7, 3004-3016 **IF - 1.693**
- 22) Ahmaruzzaman, M. & S. Laxmi Gayatri, 2010. Batch adsorption of 4-nitrophenol by acid activated jute stick char: Equilibrium, kinetic and thermodynamic studies. *Chem. Eng. J.*, **158**, No. 2, 173-180. **IF - 3.461**
- 23) Odabasi, M., G. Baydemir, M. Karatas & A. Derazshamshir, 2010. Preparation and characterization of metal-chelated poly (HEMA-MAH) monolithic cryogels and their use for DNA adsorption. *J. Appl. Polymer Sci.*, **116**, No. 3, 1306-1312. **IF - 1.240**

- 24) Guo, Z. & Sh. Zheng, 2009. Separation of p-chloronitrobenzene and o-chloronitrobenzene by selective adsorption using Silicalite-1 zeolite. *Chem. Eng. J.*, **155**, 654-659. **IF - 3.461**
- 25) Qu, R., C. Sun, F. Ma, C. Ji, Q. Xu, C. Wang & H. Chen, 2009. Removal and recovery of Hg (II) from aqueous solution using chitosan-coated cotton fibers. *J. Hazard. Mat.*, **167**, 717-727. **IF - 2.760**
- 26) Navarro, A.E., N. A. Cuizano, J. C. Lazo, M. R. Sun-Kou & B. P. Llanos, 2009. Comparative study of the removal of phenolic compounds by biological and non-biological adsorbents. *J. Hazard. Mat.*, **164**, No. 2-3, 1439-1446. **IF - 2.760**
- 27) Percin, I., H. Yavuz, E. Aksoz & A. Denizli, 2009. N-acetyl-D-galactosamine-specific lectin isolation from soyflour with poly(HPMA-GMA) beads. *J. Appl. Polymer Science*, **111**, No. 1, 148-154. **IF - 1.203**

III. СТАТИЯ: Koumanova, B., P. Peeva-Antova & Z. Yaneva, 2005. Adsorption of 4-chlorophenol from aqueous solutions on activated carbon – kinetic study. *J. Univ. Chem. Technol. Met. (Sofia)*, **40, No. 3, 213-218.**

цитирана в:

- 28) Daraei, H., H. Kamali, 2014. Experimental design and response surface modeling for optimization of 2-chlorophenol removal from water by nanoscale Iron and Fe powder, *J Environ Anal Toxicol*, **4**, No. 5, 1-6.
- 29) Daraei, H. & H. Kamali, 2014. Response surface modelling for optimization of 2-chlorophenol removal from water by nanoscale iron and iron powder. *American Journal of Environmental Protection*, **3**, No. 3, 144-151.
- 30) Pal, S., S. Mukherjee & S. Ghosh, 2013. Optimum phenol sorption in peat by the response surface method. *Environmental Geotechnics*, Paper 13.00017. <http://dx.doi.org/10.1680/envgeo.13.00017>
- 31) Sari dan Amaria, N.P., 2013. Kinetics adsorption of cyanide ion (CN⁻) by amino hybrid silica gel impregnated Fe(III). *UNESA Journal of Chemistry*, **2**, No. 3, 148-155.
- 32) Bilgili, M.S., G. Varank, E. Sekman, S. Top, D. Ozcimen & R. Yazici, 2012. Modeling 4-chlorophenol removal from aqueous solutions by granular activated carbon. *Environ. Model. Assess.*, **17**, 289-300. **IF - 0.971**

IV. Статия: Yaneva, Z. & B. Koumanova, 2006. Comparative modelling of mono- and dinitrophenols sorption on yellow bentonite from aqueous solutions. *J. Colloid Interface Sci.*, 293, No. 2, 303-311. IF – 2.233

цитирана в:

- 33) Pourmand, S., M. Abdouss & A. Rashidi, 2014. Fabrication of nanoporous graphene by chemical vapor deposition (CVD) and its application in oil spill removal as a recyclable nanosorbent. *Journal of Industrial and Engineering Chemistry*, DOI: 10.1016/j.jiec.2014.06.018. **IF – 2.145**
- 34) Bazargan, A., C.W. Hui & G. McKay, 2014. Marine residual fuel sorption and desorption kinetics by alkali treated rice husks. *Cellulose*, **21**, 1997–2006. DOI 10.1007/s10570-014-0257-8 **IF – 3.476**
- 35) Uddin, M.N., M.T. Islam & S. Das, 2014. A novel biosorbent, water hyacinth, uptaking Methylene Blue from aqueous solution: Kinetics and equilibrium studies, *Int. J. Chem. Eng.*, 2014, 1-14.
- 36) Mhamdi, M., E. Elaloui & M. Trabelsi-Ayadi, 2013. Kinetics of cadmium adsorption by smectite of Oued Tfal (Gafsa Basin). *Desalination and Water Treatment*, 1-12, DOI:10.1080/19443994.2013.810371. **IF – 0.852**
- 37) Wang, Z., C. Ye, J. Li, H. Wang & H. Zhang, 2013. Comparison and evaluation of five types of imidazole-modified silica adsorbents for the removal of 2, 4-dinitrophenol from water samples with the methyl group at different positions of imidazolium ring, *Journal of Hazardous Materials*, **260**, 955-966. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.061>. **IF - 4.679**
- 38) Makhlouf, M., R. Hamacha, F. Villières & A. Bengueddach, 2013. Kinetics and thermodynamics adsorption of phenolic compounds on organic-inorganic hybrid mesoporous material. *International Journal of Innovation and Applied Studies*, **3**, No. 4, 1116-1124.
- 39) Khanasa, T., Jantasing, N., Morada, S., Leesakul, N., Tarsang, R., Namuangruk, S., Kaewin, T., Jungsuttiwong, S., Sudyoadsuk, T. & Promarak, V., 2013. Synthesis and characterization of 2D-D- π -A-type organic dyes bearing bis-(3,6-di-tert-butylcarbazol-9-ylphenyl)aniline as donor moiety for dye-sensitized solar cells. *Eur. J. Org. Chem.* **2013**, 2608–2620. DOI: 10.1002/ejoc.201201479
- 40) Gui, X., Li, H., Wang, K., Wei, J., Jia, Y., Li, Z., Fan, L., Cao, A., Zhu, H. & Wu, D., 2011. Recyclable carbon nanotube sponges for oil absorption. *Acta Materialia*, **59**, No. 12, 4798-4804. **IF - 3.755**
- 41) Rawadjfih, Z. & N. Nsour, 2010. Adsorption of γ -picoline onto acid-activated bentonite from aqueous solution. *Applied Clay Science*, **47**, 421-427. **IF - 2.474**

- 42) Ahmaruzzaman, M. & S. Laxmi Gayatri, 2010. Batch adsorption of 4-nitrophenol by acid activated jute stick char: Equilibrium, kinetic and thermodynamic studies. *Chem. Eng. J.*, **158**, No. 2, 173-180. **IF - 3.461**
- 43) An, B.K., R. Mulherin, B. Langley, P. Burn & P. Meredith, 2009. Ruthenium complex-cored dendrimers: shedding light on efficiency trade-offs in dye sensitized solar cells. *Organic Electronics*, **10**, No. 7, 1356-1363. **IF - 4.047**

V. Статия: Koumanova, B. & Z. Yaneva, 2006. Low cost adsorbents for the removal of nitrophenols from wastewaters. *Management of intentional and accidental water pollution, NATO Security through Science Series, Springer, 263-275.*

цитирана в:

- 44) Srinivasan, K. & T. Stalin, 2012. Sorption onto insoluble b-cyclodextrin polymer for 2,4-dinitrophenol. *J. Incl. Phenom. Macrocycl. Chem.*, **73**, 321-328. **IF - 1.886**
- 45) Azizi, S. & N. Asemi, 2012, A Box-Behnken design for determining the optimum experimental condition of the fungicide (Vapam) sorption onto soil modified with perlite. *J. Environ. Sci. Health B: Pesticides, Food Contaminants, and Agricultural Wastes*, **47**, No. 7, 692-699. **IF - 0.886**

VI. Статия: Yaneva, Z., M. Marinkovski, L. Markovska, V. Meshko & B. Koumanova, 2008. Dynamic studies of nitrophenols sorption of perfil in a fixed-bed column. *Macedonian Journal of Chemistry and Chemical Engineering*, **27, No. 1, 123-132.**

IF - 0.200

цитирана в:

- 46) Kulkarni, S.I., 2014. Removal of phenol from effluent in fixed bed: A review, *Int. J. Engineering Research and General Science*, **2**, No. 5, 35-38.
- 47) Dammak, N., N. Fakhfakh, S. Fourmentin & M. Benzina, 2013. Natural clay as raw and modified material for efficient *o*-xylene abatement. *Journal of Environmental Chemical Engineering*, **1**, No. 4, 667-675. <http://dx.doi.org/10.1016/j.jece.2013.07.001>
- 48) Patel H. & Vashi, R.T., 2012. Fixed bed column adsorption of Acid Yellow 17 dye onto Tamarind Seed Powder. *The Canadian J. Chem. Eng.*, **90**, 180–185. **IF - 0.748**

VII. Статия: Yaneva, Z., B. Koumanova & V. Meshko, 2010. Dynamic studies of nitrophenols adsorption on perfil in a fixed-bed column: application of single and two resistance model. *Water Sci. Technol.*, 62.4, 883-891. IF - 1.056

цитирана в:

- 49) Adhikari, K., S. Pal, B. Chakraborty, S.N. Mukherjee & A. Gangopadhyay, 2014. Assessment of phenol infiltration resilience in soil media by HYDRUS-1D transport model for a waste discharge site. *Environ. Monit. Assess.*, **186**, 6417-6432, DOI: 10.1007/s10661-014-3864-9. **IF - 1.592**
- 50) Baker, H.M., 2014. Evaluation of Jordanian treated natural zeolite for the uptake of p-nitrophenol from wastewater by continuous column method. *Desalination and Water Treatment*, **52**, 3290-3300. DOI:10.1080/19443994.2013.802257. **IF - 0.852**
- 51) Luz, A.D., S. de Souza, C. da Luz, R. Rezende, & A. de Souza, 2013. Multicomponent adsorption and desorption of BTX compounds in coconut shell activated carbon - experiments, mathematical modeling and numerical simulation. *Ind. Eng. Chem. Research*, **52**, No. 23, 7896-7911. DOI: 10.1021/ie302849j. **IF - 2.237**
- 52) Zach-Maor, A., R. Semiat & H. Shemer, 2011. Fixed bed phosphate adsorption by immobilized nano-magnetite matrix: experimental and a new modeling approach. *Adsorption*, **17**, 929-936. **IF - 2.000**

VIII. Статия: Georgieva, N., Z. Yaneva & L. Dospatliev, 2010. Ecological monitoring of the fresh waters in Stara Zagora Region, Bulgaria I. Quality analyses of nitrogen compounds contents. *Desalination*, 264, 48-55. IF - 1.851

цитирана в:

- 53) Wang, G.E., G. Xu, M.S. Wang, J. Sun, Z. Xu, G. Guo & J. Huang, 2012. A novel inorganic-organic hybrid for detection of nitrite anion with extremely high sensitivity and selectivity. *J. Materials Chemistry*, DOI: 10.1039/C2JM32830E. **IF - 5.968**
- 54) Fu, Q., B. Zheng, X. Zhao, L. Wang, C. Liu, 2012. Ammonia pollution characteristics of centralized drinking water sources in China. *Journal of Environmental Sciences*, **24**, No. 10, 1739-1743. **IF - 1.660**

IX. Статия: Georgieva, N., Z. Yaneva & L. Dospatliev, 2010. Analyses of natural water quality in Stara Zagora Region according to the parameters sulfates and chlorides. *Trakia J. Sci.*, 8, No. 2, 517-524.

цитирана в:

55) Georgiev, D.G., 2012. Freshwater malacofauna of upper Thracian Lowland (Southern Bugaria). *Acta Zoologica Bulgarica*, **64**, No. 4, 413-420. **IF - 0.269**

X. Статия: Dospatliev, L., N. V. Georgieva, A. I. Pavlov & Z. Yaneva, 2010. Extraction-spectrophotometric determination of cobalt in soils by the application of iodine nitrotetrazole chloride (INT). *Trakia Journal of Sciences*, **8, No. 2, 16-19.**

цитирана в:

56) Gavazov, K., P. Racheva, V. Lekova, A. Dimitrov, M. Türkyilmaz & F. Genç, 2012. Some ternary phenylmethoxybis(tetrazolium) complexes of Vanadium(IV,V) and their constants of association. *Croat. Chem. Acta*, **85**, No. 1, 53–58. **IF - 0.854**

57) Gavazov, K., K. Stojnova, T. Stefanova, G. Toncheva, V. Lekova, A. Dimitrov, 2012. Liquid-liquid extraction and spectrophotometric characterization of some new ternary ion-association complexes of gallium(III) and indium(III). *Chemija*, **23**, No. 4, 278-285. **IF - 0.586**

XI. Статия: Georgieva, N.V., M. Gabrashanska, V. Koinarski, Z. Yaneva, 2011. Zinc supplementation against *Eimeria Acervulina*-induced oxidative damage in broiler chickens. *Veterinary Medicine International*, No. 647124. DOI: 10.4061/2011/647124

цитирана в:

58) Wunderlich, F., S. Al-Quraishy, H. Steinbrenner, H. Sies & M. A. Dkhil, 2014. Towards identifying novel anti-*Eimeria* agents: trace elements, vitamins, and plant-based natural products. *Parasitol. Res.*, **113**, No. 10, 3547-3556. DOI 10.1007/s00436-014-4101-8. **IF - 2.327**

59) Rakhshandehroo, E., S. M. Razavi & S. Nazifi, 2014. Experimental caprine coccidiosis: The pattern of changes in antioxidant micronutrients and vitamins. *Veterinary Science Development*, **4**, No. 5533, 46-50. doi: 10.4081/vsd.2014.5533.

60) Su, S., K.B. Miska, R.H. Fetterer, M.C. Jenkins, E.A. Wong, 2014. Expression of digestive enzymes and nutrient transporters in *Eimeria acervulina*-challenged layers and broilers, *Poultry Science*, **93**, No. 5, 1217-1226.

61) Masood, S., R. Z. Abbas, Z. Iqbal, M. K. Mansoor, Z. Sindhu, M. A. Zia & J. A. Khan, 2013. Role of natural antioxidants for the control of coccidiosis in poultry, *Pakistan Veterinary Journal*, **33**, No. 4, 401-407.

62) Gao, F., Y. Liu, C. Zhang, Z. Zhang & S. Song, 2013. Effect of intrauterine growth restriction during late pregnancy on the growth performance, blood components,

immunity and anti-oxidation capability of ovine fetus. *Livestock Science*, **155**, No. 2-3, 435-441. <http://dx.doi.org/10.1016/j.livsci.2013.04.016>. **IF - 1.249**

63) Paris, N.E. & E.A. Wong, 2013. Expression of digestive enzymes and nutrient transporters in the intestine of *Eimeria maxima*-infected chickens. *Poultry Science*, **92**, No. 5, 1331-1335. **IF - 1.055**

64) Gao, F., Y.-C. Liu, Z.-H. Zhang, C.-Z. Zhang, H.-W. Su & S.-L. Li, 2012. Effect of prepartum maternal energy density on the growth performance, immunity, and antioxidation capability of neonatal calves. *Journal of Dairy Science*, **95**, No. 8, 4510-4518. **IF - 2.564**

XII. Статия: Yaneva, Z., N. Georgieva, 2012. Insights into Congo red adsorption on agro-industrial materials - spectral, equilibrium, kinetic, thermodynamic, dynamic and desorption studies. A review. *International Review of Chemical Engineering*, 4(2), 127-146.

цитирана в:

65) Liu, S., Y. Ding, P. Li, K. Diao, X. Tan, F. Lei, Y. Zhan, Q. Li, B. Huang & Z. Huang, 2014. Adsorption of the anionic dye Congo red from aqueous solution onto natural zeolites modified with N,N-dimethyl dehydrobiethylamine oxide. *Chem. Eng. J.*, **248**, 135-144. **IF – 4.058**

66) Li, X., Y. Chen, X. Hu, Y. Zhang & L. Hu, 2014. Desalination of dye solution utilizing PVA/PVDF hollow fiber composite membrane modified with TiO₂ nanoparticles, *Journal of Membrane Science*, **471**, 118-129. **IF – 4.908**


67) Zehra, T., N. Priyantha, L.B.L. Lima & E. Iqbal, 2014. Sorption characteristics of peat of Brunei Darussalam V: removal of Congo red dye from aqueous solution by peat. *Desalination and Water Treatment*, **2014**, 1-9. doi: 10.1080/19443994.2014.899929. **IF – 0.852**

68) Das, D.P., A. Samal, J. Das, A. Dash & H. Gupta, 2014. One-pot fabrication of RGO-Ag₃VO₄ nanocomposites by *in-situ* photoreduction using different sacrificial agents: High selectivity towards catechol synthesis and photodegradation ability. *Photochemistry and Photobiology*, **90**, No. 1, 57-65. doi:10.1111/php.12172. **IF - 2.287**

XIII. Статия: Yaneva, Z., B. Koumanova & N. Georgieva, 2012. Study on the mechanism of nitrophenols sorption on expanded perlite - Equilibrium and kinetics modelling. *Macedonian J. Chem. Chem. Eng.*, 31, No. 1, 101-114. **IF – 0.821**

цитирана в:

69) Daniel Maxim, L., R. Niebo & E.E. McConnell, 2014. Perlite toxicology and epidemiology – a review, *Inhal Toxicol*, **26**, No. 5, 259-270. **IF - 1.894**

Изготвил: 
/гл. ас. д-р З. Янева/